


DRS WHEEL BLOCKS

DRS wheel blocks are multi-purpose, compact wheel box. It is simple and flexible to use, with excellent performance; wide load range, wheel load from 2.75 tons to 40 tons, can be replaced as a whole from old equipment and easy to match. Mainly used in stackers, shield machines, equipment supporting, metallurgical trolleys and other industries, to provide our technical solutions and high-quality products for various handling sites.




Technical Parameters

Type D	A mm	B mm	H mm	K mm	H1 mm	H2 mm	H3 mm	H4 mm	B1 mm	B2 mm	B3 mm	B4 mm
DRS112	190	96	131	55	47	30	40	80	40	30	-	24
DRS125	220	98	147.5	55	53.5	20	40	100	50	37	-	37.5
DRS160	275	110	187	60	70	25	55	100	54	47.5	-	20
DRS200	340	130	238	60	90	35	75	100	62	64	56	40
DRS250	385	150	281	75	89	50	80	100	-	-	-	-
DRS315	470	180	349.5	90	114	70	80	100	-	-	-	30
DRS400	580	210	440	-	144	95	130	100	-	-	-	30
DRS500	700	240	566	-	183	110	160	100	-	-	-	30


Type D	A1 mm	A2 mm	A3 mm	A4 mm	A5 mm	D1	D2 mm	D3 mm	D4	D5	Weight kG	Max.Load kN
DRS112	145	145	145	-	45	4xM12	10.5	18.5	4xM12	2xM12	10	27.5
DRS125	175	175	170	-	55	4xM12	13	21	4xM12	2xM12	15	50
DRS160	220	220	220	-	55	4xM16	17	30	4xM16	2xM12	26	70
DRS200	275	275	275	-	65	4xM16	20	35	8xM16	2xM12	41	100
DRS250	310	310	290	140	80	8xM16	34F8	40	2xM12	-	70	160
DRS315	370	370	360	180	100	8xM16	40F8	50	2xM12	2xM20	130	220
DRS400	450	450	440	210	120	8xM20	31H13	65	2xM12	2xM20	220	300
DRS500	580	580	620	480	125	8xM20	31H13	70	2xM12	2xM20	380	400

Installation type


Pin connection




End connection




Top connection




Side connection



Motor installation



Offset geared drive




Angular geared drive


Application case




Accessories



DRS112-200
Horizontal guide rollers




DRS250-500
Horizontal guide rollers




Buffer

DRS WHEEL BLOCKS


DRS wheel box DRS FA




Accessories for DRS wheel blocks




DRS112-DRS200 Connection the flanges with the motor



DRS112-DRS200 Use the guide wheel



DRS250-DRS500 Connection the flanges with the motor



DRS250-DRS500 Use the guide wheel